

**SIDDHARTH INSTITUTE OF ENGINEERING & TECHNOLOGY:: PUTTUR (AUTONOMOUS)**

Siddharth Nagar, Narayanavanam Road – 517583

**QUESTION BANK (DESCRIPTIVE)****Subject with Code:** Principles of Operating Systems(20CI0601)**Course & Branch:** B.Tech – CSIT**Year & Sem:** II- B.Tech & I-Sem**Regulation:** R20**UNIT –I**

1	a) Explain the various types of System calls with an example for each? b) Discuss about the functionality of system boot with respect to operating system?	[L2][CO1] [L2][CO1]	[6M] [6M]
2	a) Explain the operating system structures? b) Difference between Monolithic kernel and Micro kernel?	[L2][CO1] [L4][CO1]	[6M] [6M]
3	a) Analyze the important services of an operating system? b) Write a short note on system boot?	[L4][CO1] [L1][CO1]	[8M] [4M]
4	Describe in detail about computing environments with neat diagram?	[L1][CO1]	[12M]
5	Explain in detail about open source operating systems?	[L2][CO1]	[12M]
6	a) Discuss about User and Operating System Interface? b) Write a short note on System programs.	[L2][CO1] [L2][CO1]	[6M] [6M]
7	What is operating system? Explain different types of operating system in detail?	[L2][CO1]	[12M]
8	Explain how operating system services are provided by system calls?	[L2][CO1]	[12M]
9	a) Discuss in briefly about Protection and Security? b) Explain operating system operations?	[L2][CO1] [L2][CO1]	[6M] [6M]
10	a) Difference between Kernel and Operating System. b) Describe briefly the layers of operating system structures?	[L4][CO1] [L1][CO1]	[5M] [7M]

**UNIT –II**

1	Discuss the different multithreading models along with their Issues?	[L2][CO2]	[6M] [6M]																		
2	Consider the following five processes, with the length of CPU burst time given below:  <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Process</th> <th>Burst Time</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>P1</td> <td>8</td> <td>4</td> </tr> <tr> <td>P2</td> <td>6</td> <td>1</td> </tr> <tr> <td>P3</td> <td>1</td> <td>2</td> </tr> <tr> <td>P4</td> <td>9</td> <td>2</td> </tr> <tr> <td>P5</td> <td>3</td> <td>3</td> </tr> </tbody> </table> <p>i) Consider a Gantt chart illustrating the execution of these job using FCFS,RR(quantum=1), non preemptive priority &amp; SJF CPU scheduling. ii) Calculate the average waiting time and average turnaround time for each of the above Scheduling algorithm.</p>	Process	Burst Time	Priority	P1	8	4	P2	6	1	P3	1	2	P4	9	2	P5	3	3	[L5][CO2]	[12M]
Process	Burst Time	Priority																			
P1	8	4																			
P2	6	1																			
P3	1	2																			
P4	9	2																			
P5	3	3																			

3	Explain different types of CPU Scheduling algorithms with example?	[L4][CO2]	[12M]																		
4	<p>a) Discuss about Process concept in detail?</p> <p>b) Consider the following five processes, with the length of CPU burst time given below:</p> <table border="1" data-bbox="308 255 855 414"> <thead> <tr> <th>Process</th> <th>Burst Time</th> </tr> </thead> <tbody> <tr> <td>P1</td> <td>24</td> </tr> <tr> <td>P2</td> <td>3</td> </tr> <tr> <td>P3</td> <td>3</td> </tr> </tbody> </table> <p>i) Consider a Gantt chart illustrating the execution of these job using FCFS, CPU scheduling.</p> <p>ii) Calculate the average waiting time and average turnaround time .</p>	Process	Burst Time	P1	24	P2	3	P3	3	[L2][CO2] [L5][CO2]	[4M] [8M]										
Process	Burst Time																				
P1	24																				
P2	3																				
P3	3																				
5	<p>a) Explain Process Control Block with neat diagram.</p> <p>b) Describe the Inter Process Communication in client-server systems?</p>	[L2][CO2] [L1][CO2]	[6M] [6M]																		
6	<p>Consider the following processes, with the length of CPU burst time given below:</p> <table border="1" data-bbox="308 689 1165 884"> <thead> <tr> <th>Process</th> <th>Burst Time</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>P1</td> <td>6</td> <td>3</td> </tr> <tr> <td>P2</td> <td>3</td> <td>2</td> </tr> <tr> <td>P3</td> <td>9</td> <td>4</td> </tr> <tr> <td>P4</td> <td>4</td> <td>1</td> </tr> </tbody> </table> <p>i) Consider a Gantt chart illustrating the execution of these job using FCFS, non preemptive priority &amp; SJF CPU scheduling.</p> <p>ii) Calculate the average waiting time and average turnaround time for each of the above Scheduling algorithm.</p>	Process	Burst Time	Priority	P1	6	3	P2	3	2	P3	9	4	P4	4	1	[L5][CO2]	[12M]			
Process	Burst Time	Priority																			
P1	6	3																			
P2	3	2																			
P3	9	4																			
P4	4	1																			
7	<p>Consider the following processes, with the length of CPU burst time given below:</p> <table border="1" data-bbox="308 1122 1165 1355"> <thead> <tr> <th>Process</th> <th>Burst Time</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>P1</td> <td>10</td> <td>3</td> </tr> <tr> <td>P2</td> <td>4</td> <td>1</td> </tr> <tr> <td>P3</td> <td>2</td> <td>5</td> </tr> <tr> <td>P4</td> <td>1</td> <td>4</td> </tr> <tr> <td>P5</td> <td>5</td> <td>2</td> </tr> </tbody> </table> <p>i) Consider a Gantt chart illustrating the execution of these job using FCFS, SJF, non preemptive priority &amp; Round Robin (quantum=1), CPU scheduling.</p> <p>ii) Calculate the average waiting time and average turnaround time for each of the above Scheduling algorithm.</p>	Process	Burst Time	Priority	P1	10	3	P2	4	1	P3	2	5	P4	1	4	P5	5	2	[L5][CO2]	[12M]
Process	Burst Time	Priority																			
P1	10	3																			
P2	4	1																			
P3	2	5																			
P4	1	4																			
P5	5	2																			
8	<p>a) Explain in detail about operations of process?</p> <p>b) What is CPU scheduling? Explain types of Scheduling and Scheduling Criteria in detail?</p>	[L2][CO2] [L1][CO2]	[6M] [6M]																		
9	<p>a) What are Threads? Write about Types of Threads ?</p> <p>b) Discuss about Multilevel Queue Scheduling and First come First Serve with example?</p>	[L1][CO2] [L2][CO2]	[6M] [6M]																		
10	Discuss briefly about the Process scheduling?	[L2][CO2]	[12M]																		

**UNIT –III**

<p><b>1</b></p>	<p>a) Describe the banker’s algorithm?                  b) Consider the following snapshot of a system.</p> <table border="1" data-bbox="196 226 1177 719"> <thead> <tr> <th rowspan="3">Process</th> <th colspan="3">Allocation</th> <th colspan="3">Max</th> <th colspan="3">Available</th> </tr> <tr> <th>A</th> <th>B</th> <th>C</th> <th>A</th> <th>B</th> <th>C</th> <th>A</th> <th>B</th> <th>C</th> </tr> <tr> <th>D</th> <th></th> <th></th> <th>D</th> <th></th> <th></th> <th>D</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>P0</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>1</td> <td>5</td> <td>2</td> </tr> <tr> <td></td> <td>2</td> <td></td> <td></td> <td>2</td> <td></td> <td></td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>P1</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>7</td> <td>5</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>0</td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>P2</td> <td>1</td> <td>3</td> <td>5</td> <td>2</td> <td>3</td> <td>5</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>4</td> <td></td> <td></td> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>P3</td> <td>0</td> <td>6</td> <td>3</td> <td>0</td> <td>6</td> <td>5</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>2</td> <td></td> <td></td> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>P4</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>6</td> <td>5</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>4</td> <td></td> <td></td> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Answer the following questions using banker’s algorithm:                  1) What is the content of the matrix used?                  2) Is the system in a safe state?                  If a request from process p1 arrives for (0,4,2,0) can the request be granted immediately?</p>	Process	Allocation			Max			Available			A	B	C	A	B	C	A	B	C	D			D			D			P0	0	0	1	0	0	1	1	5	2		2			2			0			P1	1	0	0	1	7	5					0			0						P2	1	3	5	2	3	5					4			6						P3	0	6	3	0	6	5					2			2						P4	0	0	1	0	6	5					4			6						<p>[L1][CO3] [L5][CO3]</p>	<p>[6M] [6M]</p>
Process	Allocation			Max			Available																																																																																																																												
	A		B	C	A	B	C	A	B	C																																																																																																																									
	D			D			D																																																																																																																												
P0	0	0	1	0	0	1	1	5	2																																																																																																																										
	2			2			0																																																																																																																												
P1	1	0	0	1	7	5																																																																																																																													
	0			0																																																																																																																															
P2	1	3	5	2	3	5																																																																																																																													
	4			6																																																																																																																															
P3	0	6	3	0	6	5																																																																																																																													
	2			2																																																																																																																															
P4	0	0	1	0	6	5																																																																																																																													
	4			6																																																																																																																															
<p><b>2</b></p>	<p>a) Explain in detail about Deadlock Avoidance ?                  b) What are the Strategies for handling Deadlock?</p>	<p>[L2][CO3] [L1][CO3]</p>	<p>[7M] [5M]</p>																																																																																																																																
<p><b>3</b></p>	<p>a) Discuss briefly about Deadlock Characterization.                  b) Explain the methods for handling deadlocks.</p>	<p>[L2][CO3] [L2][CO3]</p>	<p>[6M] [6M]</p>																																																																																																																																
<p><b>4</b></p>	<p>a) Explain the Deadlock Detection.                  b) Explain about the Recovery from deadlock.</p>	<p>[L1][CO3] [L1][CO3]</p>	<p>[12M]</p>																																																																																																																																
<p><b>5</b></p>	<p>Considering a system with five processes P<sub>0</sub> through P<sub>4</sub> and three resources of type A, B, C. Resource type A has 10 instances, B has 5 instances and type C has 7 instances. Suppose at time t<sub>0</sub> following snapshot of the system has been taken:</p> <table border="1" data-bbox="272 1285 1177 1608"> <thead> <tr> <th rowspan="2">Process</th> <th colspan="3">Allocation</th> <th colspan="3">Max</th> <th colspan="3">Available</th> </tr> <tr> <th>A</th> <th>B</th> <th>C</th> <th>A</th> <th>B</th> <th>C</th> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>P<sub>0</sub></td> <td>0</td> <td>1</td> <td>0</td> <td>7</td> <td>5</td> <td>3</td> <td rowspan="5">3</td> <td rowspan="5">3</td> <td rowspan="5">2</td> </tr> <tr> <td>P<sub>1</sub></td> <td>2</td> <td>0</td> <td>0</td> <td>3</td> <td>2</td> <td>2</td> </tr> <tr> <td>P<sub>2</sub></td> <td>3</td> <td>0</td> <td>2</td> <td>9</td> <td>0</td> <td>2</td> </tr> <tr> <td>P<sub>3</sub></td> <td>2</td> <td>1</td> <td>1</td> <td>2</td> <td>2</td> <td>2</td> </tr> <tr> <td>P<sub>4</sub></td> <td>0</td> <td>0</td> <td>2</td> <td>4</td> <td>3</td> <td>3</td> </tr> </tbody> </table> <p>i) What will be the content of the Need matrix?                  ii) Is the system in a safe state? If Yes, then what is the safe sequence?                  What will happen if process P<sub>1</sub> requests one additional instance of resource type A and two instances of resource type C?</p>	Process	Allocation			Max			Available			A	B	C	A	B	C	A	B	C	P <sub>0</sub>	0	1	0	7	5	3	3	3	2	P <sub>1</sub>	2	0	0	3	2	2	P <sub>2</sub>	3	0	2	9	0	2	P <sub>3</sub>	2	1	1	2	2	2	P <sub>4</sub>	0	0	2	4	3	3	<p>[L5][CO3]</p>	<p>[12M]</p>																																																																							
Process	Allocation			Max			Available																																																																																																																												
	A	B	C	A	B	C	A	B	C																																																																																																																										
P <sub>0</sub>	0	1	0	7	5	3	3	3	2																																																																																																																										
P <sub>1</sub>	2	0	0	3	2	2																																																																																																																													
P <sub>2</sub>	3	0	2	9	0	2																																																																																																																													
P <sub>3</sub>	2	1	1	2	2	2																																																																																																																													
P <sub>4</sub>	0	0	2	4	3	3																																																																																																																													
<p><b>6</b></p>	<p>Explain in detail Classical problems of synchronization?</p>	<p>[L2][CO3]</p>	<p>[12M]</p>																																																																																																																																
<p><b>7</b></p>	<p>a) What is Process synchronization? Explain Critical-section problem with solution?                  b) Explain about Synchronization Hardware?</p>	<p>[L1][CO3] [L2][CO3]</p>	<p>[6M] [6M]</p>																																																																																																																																
<p><b>8</b></p>	<p>a) Explain the solution for Dining-Philosophers Problem?                  b) What is Semaphores and types of semaphores?</p>	<p>[L2][CO3] [L1][CO3]</p>	<p>[7M] [5M]</p>																																																																																																																																
<p><b>9</b></p>	<p>a) Explain in detail about producer consumer problem?                  b) Write the properties and limitations of semaphores?</p>	<p>[L2][CO3] [L1][CO3]</p>	<p>[6M] [6M]</p>																																																																																																																																
<p><b>10</b></p>	<p>Explain Dead lock detection with Example?</p>	<p>[L2][CO3]</p>	<p>[12M]</p>																																																																																																																																

**UNIT –VI**

<b>1</b>	Consider the following page reference string:1,2,3,4,2,1,5,6,1,2,3,7,6,3,2,1,2,3,6.How many page faults would occur for the LRU,FIFO,LFU and Optimal page replacement algorithms, assuming two and five frames.	[L5][CO4]	[12M]
<b>2</b>	a) Explain any two page replacement algorithms? b) Explain the concept of segmentation in detail?	[L2][CO4] [L2][CO4]	[6M] [6M]
<b>3</b>	a) Write about Contiguous memory allocation? b) Explain about demand paging?	[L1][CO4] [L2][CO4]	[6M] [6M]
<b>4</b>	What is Page replacement? Explain page replacement algorithms with example?	[L1][CO4]	[12M]
<b>5</b>	What do you mean by paging? Discuss in detail about structure of page tables with appropriate examples.	[L2][CO4]	[12M]
<b>6</b>	Difference between paging and segmentation?	[L4][CO4]	[12M]
<b>7</b>	a) Consider the following page reference string:2,1,0,3,4,0,0,0,2,4,2,1,0,3,2.How many page faults would occur if the working set policy were used with a window size of 47.Show when each page fault would occur clearly. b) Discuss swapping memory management?	[L5][CO4]	[12M]
<b>8</b>	Difference between External fragmentation and Internal fragmentation? How to solve the fragmentation problem using paging?	[L5][CO4]	[12M]
<b>9</b>	What is paging? Explain in detail about paging?	[L2][CO4]	[12M]
<b>10</b>	a) Explain Structure of page table? b) Explain the concept of Thrashing?	[L2][CO4] [L2][CO4]	[6M] [6M]

**UNIT –V**

1	Explain the different disk scheduling algorithms with neat diagrams.	[L2][CO5]	[12M]
2	Suppose that a disk drive has 5000 cylinders, numbered 0 to 4999. The drive is currently serving a request at cylinder 143, and the previous was at cylinder 125. The queue of pending requests, in FIFO order, is: 86, 1470, 913, 1774, 948, 1509, 1022, 1750, 130 Starting from the current head position, what is the total distance (in cylinders) that the disk arm moves to satisfy all the pending requests for each of the following disk-scheduling algorithms? i) FCFS ii) SSTF iii) SCAN iv) LOOK v) C-SCAN and vi) C-LOOK.	[L5][CO5]	[12M]
3	a) Compare the C-LOOK and C-SCAN disk scheduling algorithms. b) Write an elaborate note on RAID.	[L4][CO5] [L4][CO5]	[6M] [6M]
4	Consider a typical situation in a multiprogramming environment ,in which the operating system maintains a queue of requests for each I/O device. Assume the disk has 200 tracks and that the disk request queue has random requests in it. The requested tracks are received in the following order:55,58,39,18,90,160,150,38,184,27,129,110,186,147,41,10,64,120.Assume that the head disk is initially positioned over track 100 and is moving in the direction of decreasing track number. Perform the analysis for FIFO,SSTF,SCAN,C-SCAN,LOOK and C-LOOK.	[L5][CO5]	[12M]
5	a)Write short notes on File attributes b)Write short notes on File Operations c)Write short notes on File sharing	[L1][CO5] [L1][CO5] [L1][CO5]	[4M] [4M] [4M]
6	Discuss about directory structures with examples	[L2][CO5]	[12M]
7	a) Write short note on Disk attachment? b) Write about the File operations?	[L1][CO5] [L1][CO5]	[6M] [6M]
8	a) Explain File access methods in detail? b) What is Directory? Explain Directory implementation?	[L2][CO5] [L2][CO5]	[6M] [6M]
9	Explain in detail about File system Allocation methods with neat diagram?	[L3][CO5]	[12M]
10	What is File? Explain File concept in detail.	[L2][CO5]	[12M]

**PREPARED BY: B.J.MYTHILI, Asst. Prof, Dept of MCA.**