Question Bank 2019



#### SIDDHARTH GROUP OF INSTITUTIONS :: PUTTUR Siddharth Nagar, Narayanavanam Road – 517583

**QUESTION BANK** 

Subject with code : Electrical Machines-II(18EE0207)

Year & Semester : II & II

Course & Branch: B.Tech & EEE

: R18

Regulations

UNIT-1

# **<u>3-PHASE TRANSFORMERS</u>**

1.	<ul><li>(a) Mention the different tests that are conducted on transformer.</li><li>(b) Explain the procedure for conducting Sumpner's test along with all precautions to be while conducting the test with neat diagram.</li></ul>	[3M] taken [7M]	
2.	<ul><li>(a)Explain why hysteresis and eddy current looses occur in a transformer?</li><li>(b) A single phase transformer shows 63W core losses at 40Hz while 110W at 60Hz. Both are performed at same value of maximum flux density in the core. Find hysteresis and edd losses at 50Hz frequency.</li></ul>	[6M] h the tests dy current [6M]	
3.	<ul> <li>(a) How do you separate hysteresis and eddy current losses of a Transformer.</li> <li>(b) In a 25-kVA, 2000/200V, single phase transformer, the iron and full-load copper losse are 350 and 400W respectively. Calculate the efficiency at unity p.f. on</li> <li>(i) full load (ii) half full-load</li> </ul>	[4M] es [6M]	
4.	State and explain the various conditions of parallel operation of three-phase transformers	[10M]	
5.	Discuss various types of 3-phase transformer connections briefly	[10M]	
6.	Explain Scott Connection or T-T Connection of three phase transformers in detail	[10M]	
7.	In a Scott connection, calculate the values of line currents on the 3-phase side if the loads 2-phase side are 300kW and 450kW both at 100V and 0.707 p.f(lag) and the 3-phase line is 3,300V. The 300-kW load is on the leading phase on the 2-phase side.	on the voltage	
	Neglect Transformer losses.	[10M]	
8.	Explain Open delta operation of 3-phase transformers with neat sketch	[10M]	
9.	A load of 500kVA at 0.8 power factor lagging is to be shared by two three phase transform and B of equal ratings. If the equivalent delta impedances as referred to secondary are (2+ for A and (2+j5) for B, calculate the load supplied by each transformer.	mers A ⊦j6) ohm [10M]	
10	10. Determine load shared by each transformer when two transformers are connected in paral		
	(a) With equal voltage ratios	[5M]	
	(b) With unequal voltage ratios	[5M]	

### **3-PHASE INDUCTION MOTORS**

1.	Describe the constructional details of cage and wound rotor 3-phase induction motor with sketches	neat
$\mathbf{r}$	A 4 pole 4 phase induction motor operates from a supply whose frequency is 50Hz. Cold	
۷.	(i) Speed at which the magnetic field of the states is rotating	ulate
	(i) Speed at which the magnetic field of the stator is rotating	
	(ii) Speed of the rotor when the slip is $0.04$	
	(iii) Frequency of the rotor currents when the slip is 0.03	
	(1v) Frequency of the rotor currents at standstill	54.03.63
_	(v) Speed of the rotor when the slip is unity	[10M]
3.	Explain the production of rotating magnetic field and prove that resultant flux is equal to	1.5 times
	of maximum flux with phasor diagrams	[10M]
4.	(a) Explain principle of operation of 3-Phase Induction Motor[4M]	
	(c) A 3-Phase induction motor wound for 4 poles and is supplied from 50Hz system. Cale	culate
	(i) Synchronous speed (ii) rotor speed when slip is 4% and (iii) rotor frequency when	runts at
	600 rpm[6M]	[10M]
5.	(a) Derive Torque equation of 3-phase induction motor.[5M]	
	(b) Draw the Torque-Slip Characteristics with neat sketch [5M]	[10M]
6.	Derive the expression for starting torque, maximum torque and hence obtain the value of	maximum
	torque of a 3-phase induction motor.	[10M]
7. E	Explain the equivalent circuit of 3-phase induction motor with schematic diagram and draw	phasor
	diagram	[10M]
8. (	a) From the fundamentals, deduce a relationship between rotor power input, rotor power lo mechanical power developed in case of Induction motor.[5M]	oss and
(	b) Explain various losses in an induction motor and draw power flow diagram.[5M]	[10M]
9. (	a) Discuss the points of similarities between a transformer and an induction machine.Explainduction machine is called a generalized transformer[5M]	ain why

(b) The useful torque of a 8-pole ,50Hz, three phase induction motor is 190N-m, the rotor frequency is 1.5Hz. calculate the rotor copper losses if mechanical losses are 700W.[5M]

10. A 6-pole, 3-phase 50HZ induction motor is running at full load with a slip of 4%. The rotor is Star connected and its resistance and standstill reactance are 0.25  $\Omega$  and 1.5  $\Omega$  per phase. The emf between slip rings is 100V. Find the rotor current per phase and power factor assuming the slip rings are Short circuited. [10M]

## **TESTING OF 3-PHASE INDUCTION MOTORS**

1.	Explain brake test on 3-phase induction motor and list out limitations	[10M]
2.	Explain how to predetermine the performance of induction motor from no-load and block tests.	ted rotor [10M]
3.	Explain the procedure to construct circle diagram to find performance characteristics of the induction motor.	hree phase [10M]
4.	<ul> <li>Explain the following methods of starting of 3-phase IMs</li> <li>(i) Star-delta starter[3M]</li> <li>(ii) Auto-Transformer starter[3M]</li> <li>(iii) Rotor resistance starter[4M]</li> </ul>	[10M]
5.	A 3-phase,400V induction motor gave the following test readings: No-load : 400V,1250W,9A Blocked rotor test : 150V,4kW,38A Draw the circle diagram. If the normal rating is 14.9kW, find from the circle diagram, the value of current, power factor and slip.	e full-load [10M]
6.	A 3-phase,6-pole,50Hz induction motor takes 60A at full-load speed of 940rpm and deve torque of 150 N-m. The starting current at rated voltage is 300A. What is the starting torce star/delta starter is used, determine the starting torque and starting current.	lops a jue? If a [10M]
7.	A 400V, 40 HP, 50Hz, 4 pole delta-connected induction motor gave the following test dat No-load test : 400V,20A,1200W Blocked-rotor test : 100V,45A,2800W Draw the circle diagram and determine (a) line current and power factor at rated current (b) maximum output (c) maximum torque (d) full-load efficiency (e) full-load rotor speed	ta: [10M]
8.	Explain the pole changing speed control method of 3-phase IM with neat diagram	[10M]
9.	Explain cascade connection method of speed control of 3-phase IM with neat diagram.	[10M]
10	<ul> <li>Write short notes on</li> <li>(a) V/f control of IM[5M]</li> <li>(b) Injection of emf into the rotor circuit to control speed[5M]</li> </ul>	[10M]

### SYNCHRONOUS MACHINES-I

- 1. Explain the constructional features of synchronous generator with neat sketches
- 2. (a) Derive EMF equation of an alternator

(b) A 3-phase, 16 pole alternator has a star connected winding with 144 slots and 10 conductors per slot. The flux per pole is 0.03 Wb, sinusoidally distributed and the speed is 375 rpm. Find the frequency and induced emf. Assume full-pitched coil.

- 3. Explain the principle of operation of synchronous generator and draw its equivalent circuit.
- 4. (a) Define voltage regulation of synchronous generator
  (b) Derive the expression for voltage regulation when synchronous generator is supplying lagging power factor load.
- 5. Find the no-load phase and line voltage of a star connected 3-phase,6-pole alternator which runs at 1200 rpm, having flux per pole of 0.1Wb sinusoidally distributed. Its stator has 54 slots having double layer winding. Each coil has 8 turns and the coil is chorded by 1 slot.
- 6. Explain the procedural steps to find voltage regulation of synchronous generator by Synchronous Impedance Method.
- 7. Explain the procedural steps to find voltage regulation of synchronous generator by MMF method.
- 8. Draw the phasor diagram of Salient Pole Synchronous Machine and explain the concept of direct axis reactance and quadrature axis reactance.
- 9. Explain the steps involved to find Xd and Xq from Slip Test
- 10. Find the synchronous impedance and reactance of an alternator in which a given field current produces an armature current of 200A on short-circuit and a generated emf of 50V on open-circuit. The armature resistance is 0.1 ohm. To what induced voltage must be alternator be excited if it is to deliver a load of 100A at a p.f. of 0.8 lagging with a terminal voltage of 200V.

### **SYNCHRONOUS MACHINES-II**

<ol> <li>a) Define infinite bus bar? Explain synchronization of alternator with infinite bus bar</li> <li>b) Explain the necessity of parallel operation of alternators</li> </ol>	[5M] [5M]
<ol> <li>A 5MVA, 10KV, 1500rpm, 50HZ alternator runs in parallel with other Its reactance drop is 20%. Find the synchronizing power per unit mechanical displacement and the corresponding torque at (i) No load (ii) Full load at 0.8PF laggin</li> </ol>	machines. degree of g[10M]
3. What is meant by synchronization of alternators? Discuss any two methods of synchronization of alternator	nization [10M]
4. A 3Ø, 330V, star connected synchronous motor has synchronous reactance of $5\Omega$ /phase input to the motor is 1000KW at a normal voltage and a line induced emf of 4000V.	. The
Calculate (i) operating Power factor (ii) line current	[10 <b>M</b> ]
<ul><li>5. a) Explain the theory of operation of synchronous motor</li><li>b) Compare between synchronous motor and 3Ø induction motor</li></ul>	[5M] [5M]
6. Explain in detail about 'V'curves and ' $\Lambda$ 'curves of a synchronous motor	[10M]
<ul><li>7. Write short notes on</li><li>(a) Synchronous condenser (b) Damper Winding</li></ul>	[10M]
8. Briefly discuss about the starting methods of synchronous motor with suitable diagrams	s[10M]
<ul><li>9. a) Explain different torques in synchronous motor</li><li>b) Explain the working operation of synchronous induction motor</li></ul>	[5M] [5M]
D. Two 1-Ø alternators are operate in parallel and sharing a load impedance of $(3+j4)\Omega$ impedances of each machine is $(0.2+i2)\Omega$ and emf's are $(200+i0)V$ and $(220+i0)V$	f the 0)volts

10. Two 1-Ø alternators are operate in parallel and sharing a load impedance of  $(3+j4)\Omega$  If the impedances of each machine is  $(0.2+j2)\Omega$  and emf's are (200+j0)V and (220+j0)volts respectively. Determine (i) Terminal voltage (ii)) Current (iii) Power factor(iv) Output power of each machine (v) Bus-bar voltage [10M]