



**SIDDHARTH INSTITUTE OF ENGINEERING & TECHNOLOGY:: PUTTUR  
(AUTONOMOUS)**





Siddharth Nagar, Narayanavanam Road – 517583





**QUESTION BANK (DESCRIPTIVE)**

**Subject with Code:** Advanced Structural Analysis (20CE1001)  
**Year & Sem:** I-M.Tech & I-Sem

**Course & Branch:** M.Tech - SE  
**Regulation:** R20

**UNIT – I  
INTRODUCTION TO MATRIX METHODS OF ANALYSIS**

1	Explain briefly about flexibility matrix method of Analysis	[L2][CO1]	[12M]
2	<p>a) Find the flexibility matrix of the cantilever shown in Figure 2.1 EI is constant.</p>  <p style="text-align: center;">Figure 2.1</p>	[L1][CO1]	[12M]
	<p>b) For the simply supported beam shown in Figure 2.2. Develop the flexibility matrix</p>  <p style="text-align: center;">Figure 2.2</p>	[L3][CO1]	[12M]
3	<p>Develop the flexibility matrix for the cantilever with coordinates as shown in Figure 2.3</p>  <p style="text-align: center;">Figure 2.3</p>	[L3][CO1]	[12M]
4	<p>Develop the flexibility matrix for the cantilever beam with reference to the coordinates shown in Figure 2.4</p>  <p style="text-align: center;">Figure 2.4</p>	[L3][CO1]	[12M]

<p><b>5</b></p>	<p>Develop the flexibility matrix for structure with coordinates shown in Figure 2.5</p>  <p style="text-align: center;">Figure 2.5</p>	<p>[L3][CO1]</p>	<p>[12M]</p>
<p><b>6</b></p>	<p>Explain briefly about Stiffness matrix method of Analysis</p>	<p>[L2][CO1]</p>	<p>[12M]</p>
<p><b>7</b></p>	<p>Develop the stiffness matrix for the end-loaded prismatic member AB with reference to the Coordinates shown in Figure 2.6</p>  <p style="text-align: center;">Figure 2.6</p>	<p>[L3][CO1]</p>	<p>[12M]</p>
<p><b>8</b></p>	<p>a) Develop the stiffness matrix of the beam as shown in Figure 2.7 with 2 coordinate system</p>  <p style="text-align: center;">Figure 2.7</p>	<p>[L3][CO1]</p>	<p>[6M]</p>
	<p>b) Develop the stiffness matrix of the beam as shown in Figure 2.8 with respect to the 2 degree of freedom given</p>  <p style="text-align: center;">EI = constant Figure 2.8</p>	<p>[L3][CO1]</p>	<p>[6M]</p>

9 a) Develop the stiffness matrix of the beam as shown in Figure 2.10 with respect to the 4 degree of freedom given




Figure 2.10

[L3][CO1] [6M]

b) Generate the stiffness matrix for the structure with coordinates as shown in Figure 2.11




Figure 2.11

[L3][CO1] [6M]

10 Generate the stiffness matrix for the structure with coordinate as shown in Figure 2.12 EI is constant








Figure 2.12

[L3][CO1] [12M]

**UNIT-II**  
**ANALYSIS OF CONTINUOUS BEAMS & ANALYSIS OF TWO-DIMENSIONAL PIN JOINTED TRUSSES**

<p>1</p>	<p>Analyze the continuous beam shown in Figure 3.1 by displacement method EI is constant</p>  <p align="center">Figure 3.1</p>	<p>[L4][CO2]</p>	<p>[12M]</p>
<p>2</p>	<p>Analyze the continuous beam shown in Figure 3.2 by displacement method</p>  <p align="center">Figure 3.2</p>	<p>[L4][CO2]</p>	<p>[12M]</p>
<p>3</p>	<p>Analyze the continuous beam shown in Figure 3.3 by Flexibility method. The downward settlement of supports B and C in kN-m are <math>1500/EI</math> and <math>750/EI</math>.</p>  <p align="center">Figure 3.3</p>	<p>[L4][CO2]</p>	<p>[12M]</p>
<p>4</p>	<p>Analyze the continuous beam shown in Figure 3.4, if the downward settlement of supports B and C are 12 mm and 6 mm respectively. Given <math>EI= 20 \times 10^{12}</math> N-mm<sup>2</sup>. Use Flexibility matrix method</p>  <p align="center">Figure 3.4</p>	<p>[L4][CO2]</p>	<p>[12M]</p>

5 Analysis a continuous beam as shown in Figure 3.5 if downward settlement B & C is kN-m units are  $200/EI$  and  $100/EI$  respectively. Using Stiffness matrix method

[L4][CO2] [12M]




Figure 3.5

6 Using flexibility matrix method for the beam shown in Figure 3.6 and draw shear force and bending moment diagrams, EI is Constant

[L4][CO2] [12M]




Figure 3.6

7 Develop the flexibility matrix for the pin-jointed plane frame with reference to coordinates 1 & 2 shown in Figure 3.7 The numbers in parentheses are the cross-sectional areas of the members in  $mm^2$

[L4][CO4] [12M]





Figure 3.7

8 Figure 3.8 shows a jip-Crane carrying vertical load of 10kN at A. Determine the deflection of Joint A. Hence calculate the forces in members AB & AC. The cross-sectional area in  $mm^2$ . Take  $E=200kN/mm^2$ .

[L4][CO4] [12M]



**9** Analyze the pin-jointed structure shown in Figure 3.9 by flexibility matrix method.  
The area of each member is  $200\text{mm}^2$ . Take  $E=200\text{KN/mm}^2$




Figure 3.9

[L4][CO4] [12M]

**10** Analyze the pin-jointed structure shown in Figure 3.10 by Stiffness matrix method.  
The area of each member is  $1000\text{ mm}^2$ . Take  $E=200\text{KN/mm}^2$











Figure 3.10




[L4][CO4] [12M]

**UNIT -III**  
**ANALYSIS OF TWO - DIMENSIONAL PORTAL FRAMES**

<p><b>1</b></p>	<p>Analyse the rigid jointed plane frame shown in Figure 4.1 by flexibility matrix method. EI is constant throughout</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>
<p><b>2</b></p>	<p>Analyse the portal frame ABCD shown in figure 4.2 using Force Method</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>
<p><b>3</b></p>	<p>Analyse the frame shown in figure 4.23 by force method.</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>

<p>4</p>	<p>Analyze the portal frame shown in figure 4.4 by displacement method</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>
<p>5</p>	<p>Analyze the frame shown in figure 4.5 by displacement method.</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>
<p>6</p>	<p>Analyze the portal frame shown in figure 4.6 by force method.</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>
<p>7</p>	<p>Determine the stiffness matrix for the portal frame shown in figure 4.7</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>



<p><b>8</b></p>	<p>Analyze the portal frame shown in figure 4.8 by flexibility method.</p> 	<p>[L4][CO3]</p>	<p>[12M]</p>
<p><b>9</b></p>	<p>Calculate the force matrix and also draw the bending moment diagram for the following frame shown in figure 4.9</p> 	<p>[L3][CO3]</p>	<p>[12M]</p>
<p><b>10</b></p>	<p>Calculate the displacement matrix for the following frame shown in figure 4.10. And also draw the bending moment diagram.</p> 	<p>[L3][CO3]</p>	<p>[12M]</p>

**UNIT –IV**  
**SOLUTION TECHNIQUES**

<b>1</b>	<p>A system of linear algebraic equations is given below. Obtain the solution by Cholesky method.</p> $x+2y-3z = 7$ $3x+2y+2z = -5$ $4x - y+5z = 5$	[L2][CO6]	[12M]
<b>2</b>	<p>Solve the following system of equations using Gauss elimination method</p> $-4x+ y + 10z =21$ $5x - y + z = 14$ $4x+ 6y + 7z = 12$	[L3][CO6]	[12M]
<b>3</b>	List out and explain the direct methods for solving linear equations.	[L2][CO6]	[12M]
<b>4</b>	<p>Determine the solution by using Gauss elimination method.</p> $2x_1 - 2x_2 +4x_3 = -3$ $2x_1 + 3x_2 +2x_3 = 5$ $-x_1 + x_2 - x_3 = 1$	[L3][CO6]	[12M]
<b>5</b>	<p>Explain briefly about</p> <ol style="list-style-type: none"> <li>a. Cholesky Method</li> <li>b. Band Matrix and Semi band width</li> </ol>	[L2][CO6]	[12M]
<b>6</b>	<p>Explain briefly about</p> <ol style="list-style-type: none"> <li>a. Gauss elimination method.</li> <li>b. Solution of linear simultaneous equations.</li> </ol>	[L2][CO6]	[12M]
<b>7</b>	<p>Explain briefly about</p> <ol style="list-style-type: none"> <li>a. Matrix inversion method.</li> <li>b. Static Condensation</li> </ol>	[L2][CO6]	[12M]
<b>8</b>	<p>Explain briefly about</p> <ol style="list-style-type: none"> <li>a. Frontal solution technique.</li> <li>b. Direct inversion method.</li> </ol>	[L2][CO6]	[12M]
<b>9</b>	<p>Obtain the solutions of the following system of simultaneous equation by method of matrix inversion.</p> $2x_1 + 6x_2 +2x_3+4x_4 = 40$ $6x_1 + 3x_2 -2x_3-3x_4 = -1$ $2x_1 -2x_2 +5x_3- x_4 = 2$ $4x_1 - 3x_2 -x_3+4x_4 = 9$	[L2][CO6]	[12M]
<b>10</b>	Explain briefly about Frontal solution technique and static condensation	[L2][CO6]	[12M]

**UNIT –V**  
**NONLINEAR ANALYSIS OF STRUCTURES**

<b>1</b>	Derive the equation of geometrical stiffness for beam elements?	[L3][CO5]	[12M]
<b>2</b>	Determine the influence of a constant axial force on transverse vibrations of beams?	[L3][CO5]	[12M]
<b>3</b>	Write about nonlinear structural behavior?	[L1][CO5]	[12M]
<b>4</b>	Explain nonlinear theories for structural components.	[L2][CO5]	[12M]
<b>5</b>	a) Write about Geometric nonlinearities.	[L1][CO5]	[6M]
	b) Explain inelastic analysis and creep.	[L2][CO5]	[6M]
<b>6</b>	Determine the stability analysis of a simple truss using displacement method.	[L3][CO5]	[12M]
<b>7</b>	Derive the equation of geometrical stiffness for bar elements?	[L3][CO5]	[12M]
<b>8</b>	Determine the influence of a constant axial force on a beam column which is subjected to axial load P.	[L3][CO5]	[12M]
<b>9</b>	Determine the stability analysis of a simple truss using Force method.	[L3][CO5]	[12M]
<b>10</b>	Determine the influence of an axial load in a beam column	[L3][CO5]	[12M]

**PREPARED BY: Ms. C. SAILAJA**  
**ASST. PROFESSOR, SIETK**