



SIDDHARTH INSTITUTE OF ENGINEERING & TECHNOLOGY

(AUTONOMOUS)

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu)

(Accredited by NBA for Civil, EEE, Mech., ECE & CSE)

(Accredited by NAAC with 'A+' Grade)

Puttur -517583, Tirupati District, A.P. (India)

QUESTION BANK (DESCRIPTIVE)

Subject with Code	VLSI DESIGN (23EC0421)	Course & Branch	B.Tech – ECE
Year & Sem	III & II	Regulation	R23

UNIT - I

INTRODUCTION

1	a)	Define MOS technology.	[L1][CO1]	[2M]
	b)	What are the basic steps involved in MOS/CMOS fabrication?	[L1][CO1]	[2M]
	c)	What is BiCMOS technology?	[L1][CO1]	[2M]
	d)	Define figure of merit (ω_0) in MOS devices.	[L1][CO1]	[2M]
	e)	Define transconductance (g_m) in a MOSFET.	[L1][CO1]	[2M]
2	a)	Illustrate about basic MOS transistors.	[L2][CO1]	[5M]
	b)	Compare different modes in NMOS Transistor.	[L4][CO1]	[5M]
3	a)	Define Metal Oxide Semiconductor VLSI Technology.	[L1][CO1]	[5M]
	b)	List the advantages and disadvantages of IC.	[L1][CO1]	[5M]
4		Illustrate the steps involved in NMOS fabrication process with neat sketches.	[L2][CO2]	[10M]
5		Explain the steps involved in P-Well CMOS fabrication process with neat sketches.	[L2][CO2]	[10M]
6	a)	Compare CMOS with bipolar technology in different aspects.	[L4][CO1]	[5M]
	b)	State the different types of CMOS Process and illustrate the additional steps involved in Twin Tub Process.	[L2][CO2]	[5M]
7		Determine the relationship between I_{ds} & V_{ds} in non-saturated region.	[L3][CO2]	[10M]
8	a)	Derive the relationship between I_{ds} & V_{ds} in saturated region.	[L1][CO2]	[5M]
	b)	Define pass transistor with example.	[L1][CO2]	[5M]
9	a)	Define output conductance and figure of merit.	[L1][CO2]	[5M]
	b)	Show the circuit diagram of BiCMOS inverter and explain its operation.	[L2][CO2]	[5M]
10	a)	What are the different forms of Pull Up Loads? Which is the best choice for realization?	[L2][CO2]	[5M]
	b)	Derive the expression for threshold voltage for MOS transistors.	[L2][CO2]	[5M]
11	a)	Explain in detail about Transconductance.	[L2][CO2]	[5M]
	b)	Summarize the evolution of microelectronics.	[L2][CO1]	[5M]

UNIT - II**VLSI Circuit Design Processes**

1	a)	What is meant by VLSI Design Flow?	[L1][CO3]	[2M]
	b)	What are MOS layers and why are they important?	[L1][CO3]	[2M]
	c)	What are design rules in VLSI layout?	[L1][CO3]	[2M]
	d)	Mention two advantages of scaling MOS circuits.	[L1][CO3]	[2M]
	e)	State two limitations of MOS scaling.	[L1][CO3]	[2M]
2	a)	Explain the steps involved in VLSI Design flow.	[L2][CO3]	[5M]
	b)	Construct the stick diagram of a 2-input CMOS NAND gate.	[L3][CO3]	[5M]
3	a)	What are lambda-based design rules? Explain.	[L2][CO3]	[5M]
	b)	Illustrate design rules for wires and MOS transistors.	[L2][CO3]	[5M]
4	a)	Explain the basic NMOS inverter circuit with neat diagram and its operation.	[L2][CO3]	[5M]
	b)	Draw the layout diagram of NMOS inverter circuit such that both input and output points are connected with Polysilicon layer.	[L3][CO3]	[5M]
5	a)	Explain about Stick diagram with one example.	[L2][CO3]	[5M]
	b)	Sketch the layout diagram for 2-input CMOS NAND gate.	[L3][CO3]	[5M]
6	a)	Explain the basic CMOS inverter circuit with neat diagram and its operation.	[L2][CO3]	[5M]
	b)	Sketch the layout diagram for CMOS inverter.	[L3][CO3]	[5M]
7	a)	Construct stick diagram for $Y = (\overline{AB} + \overline{CD})$ in NMOS design style.	[L3][CO3]	[5M]
	b)	Construct the layout diagram for 2-input CMOS NOR gate.	[L3][CO3]	[5M]
8	a)	Construct layout diagram for the logic equations in CMOS logic. (i) $Y = \overline{(A + B)C}$ (ii) $Z = \overline{(AB + CD)E}$	[L3][CO3]	[5M]
	b)	Illustrate λ -design rules for contact cuts.	[L2][CO3]	[5M]
9	a)	How a P-MOS transistor forms in lambda-based design rules? Explain.	[L2][CO3]	[5M]
	b)	Illustrate stick diagram of AND-OR-INVERTER in CMOS design Style.	[L2][CO3]	[5M]
10	a)	Explain about Implant and demarcation line in stick diagrams with neat sketches.	[L2][CO3]	[5M]
	b)	Construct the stick diagram for 2-input CMOS XOR gate.	[L3][CO3]	[5M]
11	a)	Explain Scaling of MOS Circuits.	[L2][CO3]	[7M]
	b)	Discuss its benefits.	[L2][CO3]	[3M]

UNIT - III**GATE LEVEL DESIGN & PHYSICAL DESIGN**

1	a)	What is meant by Gate Level Design?	[L1][CO4]	[2M]
	b)	Define Switch Logic in VLSI design.	[L1][CO4]	[2M]
	c)	Define Sheet Resistance (R_s).	[L1][CO5]	[2M]
	d)	What is area capacitance in MOS circuits?	[L1][CO5]	[2M]
	e)	What does fan-in and fan-out mean in digital circuits?	[L1][CO5]	[2M]
2	a)	Explain Gate Level Design in VLSI.	[L2][CO4]	[5M]
	b)	Describe the CMOS implementation of basic logic gates.	[L2][CO4]	[5M]
3	a)	Explain the implementation of AOI and OAI using CMOS design style with neat sketches.	[L1][CO4]	[6M]
	b)	Sketch 2 x 1 mux using transmission gates.	[L3][CO4]	[4M]
4	a)	What is switch logic? Explain with an example.	[L1][CO4]	[5M]
	b)	Explain about pass transistors logic with an example.	[L4][CO4]	[5M]
5	a)	Explain dynamic CMOS logic circuit with an example.	[L2][CO4]	[4M]
	b)	Explain the following with an example i) Domino CMOS logic ii) NOR A logic.	[L2][CO4]	[6M]
6	a)	What is pseudo NMOS logic? Explain with an example	[L1][CO4]	[5M]
	b)	Construct 2-input NAND gate by using pseudo NMOS logic.	[L3][CO4]	[5M]
7	a)	Define Sheet Resistance (R_s).	[L1][CO5]	[5M]
	b)	Explain the importance of Sheet Resistance in MOS circuits.	[L2][CO5]	[5M]
8	a)	Define Inverter Delay in CMOS circuits.	[L1][CO5]	[5M]
	b)	Explain Area Capacitance in MOS technology.	[L2][CO5]	[5M]
9	a)	Explain the problem of driving large capacitive loads.	[L2][CO5]	[5M]
	b)	Describe techniques such as buffer insertion and tapered buffers.	[L2][CO5]	[5M]
10	a)	Explain Wiring Capacitances in VLSI circuits.	[L2][CO5]	[5M]
	b)	Discuss their effect on delay, noise, and signal integrity.	[L2][CO5]	[5M]
11	a)	Define Fan-in and Fan-out in digital circuits.	[L1][CO5]	[5M]
	b)	Analyze their impact on speed, power consumption, and reliability.	[L4][CO5]	[5M]

UNIT – IV**SUBSYSTEM DESIGN**

1	a)	List any four functional blocks inside an ALU and briefly state their purpose.	[L2][CO4]	[2M]
	b)	What are the main parameters influencing low power design in VLSI?	[L2][CO4]	[2M]
	c)	Differentiate between FPGA and CPLD architectures based on logic structure and configuration.	[L4][CO5]	[2M]
	d)	Write the dynamic power consumption equation in CMOS circuits.	[L1][CO4]	[2M]
	e)	What is the function of a shifter in digital systems?	[L1][CO5]	[2M]
2	a)	Design a Carry Look-Ahead Adder.	[L4][CO5]	[6M]
	b)	Compare Carry Look-Ahead Adder with Ripple Carry Adder in terms of delay and hardware complexity.	[L4][CO5]	[4M]
3	a)	Explain in detail about parity generator.	[L2][CO2]	[5M]
	b)	Explain the design of an 8-bit Barrel Shifter using MOS transmission gates.	[L3][CO5]	[5M]
4	a)	Describe the functions of Arithmetic Logic Unit (ALU).	[L2][CO4]	[5M]
	b)	Explain the architecture of an Arithmetic Logic Unit (ALU).	[L2][CO4]	[5M]
5	a)	Discuss Array multiplier in detail.	[L4][CO5]	[5M]
	b)	Explain Array, Booth, and Wallace Tree multipliers with comparison.	[L4][CO5]	[5M]
6	a)	What is 4-bit Magnitude Comparator.	[L1][CO4]	[5M]
	b)	Design a 4-bit Magnitude Comparator using a tree-based logic structure.	[L3][CO5]	[5M]
7	a)	Explain about the principle and functions of FPGA.	[L3][CO5]	[5M]
	b)	Compare Full-Custom, Standard Cell, Gate Array, FPGA, and CPLD methodologies.	[L4][CO5]	[5M]
8	a)	Explain FPGA architecture.	[L3][CO5]	[5M]
	b)	Design the flow in Semi-Custom approach.	[L3][CO5]	[5M]
9	a)	Derive dynamic & static power equations.	[L5][CO4]	[5M]
	b)	Discuss the low-power techniques in power equations.	[L4][CO5]	[5M]
10	a)	Discuss the advantages and limitations of Full-Custom design methodology.	[L4][CO5]	[5M]
	b)	Derive the dynamic power consumption equation in CMOS circuits.	[L3][CO4]	[5M]
11	a)	Explain voltage scaling.	[L5][CO4]	[5M]
	b)	Discuss voltage scaling impact on performance and reliability.	[L4][CO5]	[5M]

UNIT –V
CMOS TESTING

1	a)	What is the difference between testing combinational and sequential circuits?	[L2][CO6]	[2M]
	b)	Define scan chain in scan design technique.	[L1][CO6]	[2M]
	c)	State any four practical design-for-test (DFT) guidelines used in VLSI design.	[L4][CO6]	[2M]
	d)	Why is testing necessary in CMOS VLSI circuits?	[L1][CO6]	[2M]
	e)	What is Built-In Self-Test (BIST)?	[L2][CO6]	[2M]
2	a)	Discuss various fault models used in testing combinational logic circuits.	[L4][CO6]	[5M]
	b)	Explain testing of combinational logic circuits.	[L3][CO6]	[5M]
3	a)	What is the need for testing CMOS.	[L2][CO6]	[5M]
	b)	Explain the concept of Design for Testability (DFT).	[L3][CO5]	[5M]
4	a)	Discuss Logic BIST (LBIST).	[L4][CO6]	[5M]
	b)	Explain Memory BIST (MBIST).	[L3][CO6]	[5M]
5	a)	Explain the procedure to do manufacturing test in detail.	[L3][CO6]	[5M]
	b)	Describe the testing methodology for sequential circuits using scan insertion.	[L2][CO4]	[5M]
6	a)	Explain the trade-offs between area overhead, performance degradation, and fault coverage in DFT techniques.	[L5][CO6]	[5M]
	b)	Define ATPG.	[L1][CO5]	[5M]
7	a)	Describe Built-In Self-Repair (BISR) in memory testing.	[L3][CO6]	[10M]
	b)	What is Ad Hoc testing?	[L2][CO6]	[5M]
8	a)	Explain signature analysis in BIST.	[L3][CO6]	[5M]
	b)	Explain the difference between functional testing and structural testing.	[L4][CO6]	[5M]
9	a)	Discuss various types of delay faults in CMOS circuits.	[L4][CO6]	[5M]
	b)	Illustrate the scan-based technique.	[L2][CO3]	[5M]
10	a)	What is LFSR?	[L3][CO6]	[5M]
	b)	Describe the architecture and working of a Linear Feedback Shift Register (LFSR).	[L3][CO6]	[5M]
11	a)	What are the types of self-test approaches?	[L2][CO6]	[5M]
	b)	Explain the role of controllability and observability in VLSI testing.	[L4][CO6]	[5M]